

Feldverteiler, Aufputz 96 TE/168 TE

Field distributor surface-mounted 96 TE/168 TE

AP24 (4G)/AP27 (4G)



Beschreibung

Die Smart Home Feldverteiler Serie aus dem Hause Greiner basieren auf Jahrzehnte langer Erfahrung und wurden speziell für die Gebäudeautomation optimiert. Sie bieten neben der wertigen Verarbeitung auch eine abnehmbare Blechverkleidung, vormontierte Verdrahtungskanäle und ein Schnellmontagesystem. Sie sind somit das ideale Schranksystem für jedes Smart Home.

Installation

Die Installation darf nur durch eine Elektrofachkraft oder eine elektrotechnisch unterwiesene Person erfolgen.

Technische Highlights

- Vormontierte Verdrahtungskanäle
- Türanschlag werkzeuglos wechselbar
- Abnehmbare Blechverkleidung

Description

The Smart Home field distributor series from Greiner are based on decades of experience and have been specially optimized for building automation. In addition to high-quality workmanship, they offer removable sheet metal cladding, pre-assembled wiring ducts and a quick installation system. They are therefore the ideal cabinet system for every smart home.

Installation

The installation may only be carried out by a qualified electrician or a person trained in electrical engineering.

Technical Highlights

- Preassembled wiring ducts
- Door hinge can be changed without tools
- Removable sheet metal cladding

Technische Daten

Technical Data



Feldverteiler, Aufputz 96 TE/168 TE (AP24 (4G)/AP27 (4G))

Field distributor surface-mounted 96 TE/168 TE (AP24 (4G)/AP27 (4G))

Baugröße (BxHxT) Size (WxHxD)	96 TE: (560 x 650 x 135)mm 168 TE: (560 x 1100 x 160)mm
Montageart Type of installation	Aufputz Surface-mounted
Türenanzahl Number of doors	1, Türanschlag werkzeuglos wechselbar 1, door hinge can be changed without tools
Anzahl der Verteilerreihen Number of distributor rows	96 TE: 4 168 TE: 7
Schutzart Degree of protection	IP20
Schutzklasse Protection class	I
Gehäusefarbe Housing color	Reinweiß RAL9010 Pure white RAL9010
Material des Gehäuses Material of the housing	Stahlblech, pulverbeschichtet Sheet steel, powder-coated
Gewicht (netto/brutto) Weight (net/gross)	96 TE: (12,15/14,50)kg 168 TE: (23,60/24,30)kg

Empfohlenes Zubehör

Recommended Accessoires

<p>RJ45 Keystone Hutschienenadapter (ZN103) RJ45 Keystone DIN rail adapter (ZN103)</p>	
<p>RJ45 Keystone Modul (ZN101)</p>	



Eisenberger Str. 56a
67304 Kerzenheim
Deutschland

Telefon: 06351 - 47804 0
Fax: 06351 - 47804 99
<http://www.comexio.com>
info@comexio.com